

TBR / PCR / UHP / 4x4 / WINTER / VAN



Performance - Precision - Power



Torque Tyres enjoys a high popularity in many international markets. It is the major brand owned by the TIA Group based in England in association with a first class manufacturing facility based in China.

TIA Group work closely with the factory to develop the brand, size range, technical and marketing strategies. The TIA Group have sold tyres into over 50 countries around the world with new distributors signing up on a regular basis.

The factory in China is one of the leading tyre manufacturers in the country. It was established in 1995 and covers an area of about 1.6 square kilometers, with the total assets of over RMB 5 billion and more than 6000 employees.

The company owns four plants in China. These include a TBR factory with annual production capacity of 4 million tyres, a PCR factory with annual production capacity of 12 million tyres, a tyre manufacturing equipment factory and a power plant.

The factory manufacturers the Torque tyres on behalf of the TIA Group and specializes in manufacturing radial tires widely used in passenger car, SUV, truck and bus and in all seasons with excellent performance, which are well-reputed all over the world.

The factory takes pride in its smart R&D team and advanced testing facilities, which assure the excellent and stable quality of its products. Much of the manufacturing equipment is imported from Europe, United States and Japan.

The factory has built a strong quality assurance system and its products are accredited with certificates of ISO9001, TS16949, DOT, ECE, GCC, INMETRO, CCC, BIS, SNI, and SONCAP

# 2 - 23

### Truck Range

5 - 10

11 - 16

17 - 20

21 - 23

Steer Position
Drive Position
Trailer Position
Coach/All Position

### 24 - 43

### Car Range

26 - 27

28 - 33

34 - 37

38 - 43

Passenger Car Radials
Ultra High Performance
SUV Range
Winter Tyres

### 44 - 52


46 - 49

50 - 52

### Van Range

Light Commercial Vehicle LCV Winter Tyres





### STEER

TQ121 / TQ660 / FAR518 / TQ111 / FAR515

### TRACTION

TQ768 / TQ638 / FDL227 / TQ628 / TQ312

### TRAILER

FTM313 / TQ022 / FAL535 / FTL311 / STL357

### **ALL POSITION**

TQ011 / TQ702

The truck tyre range has been specifically designed to deliver excellent grip and performance on all road surfaces. The special tread compounds provide a more comfortable driving experience and minimises irregular wear.

Some of the features and benefits:

- Outstanding resistance to punctures and tearing.
- Excellent heat dissipation.
- Stone ejection design.
- Excellent water evacuation.
- Lower rolling resistance.



#### Steer

Should be positioned on the front axle



#### Traction

Should be positioned on the control axle



#### Trailer

Should be positioned on the back axle



#### **All Position**

Can be positioned on any









All purpose highway and urban use.



### **Features**

- Four circumferential grooves.
- Solid shoulder design.
- Specially designed compound.

- Provides excellent anti-side slipping performance and ensures excellent water evacuation.
- Provides outstanding resistance to abrasion.
- Reduces rolling noise greatly and delivers lower rolling resistance.

Size	Tread Pattern	Ply	LI/SI	S/R			<b>(C</b> 1))	<b>))</b> )
295/80R22.5	TQ121	16PR	154/149	L	С	D	73dB	2
315/70R22.5	TQ121	20PR	156/150 (154/150)	L (M)	С	D	73dB	2
315/80R22.5	TQ121	20PR	158/150 (154/150)	L (M)	С	D	73dB	2
9.5 R17.5	TQ121	16PR	143/141	J	D	С	73dB	2





For highway and steer use.



### **Features**

- Four wide circumferential grooves.
- Siped rib and shoulder design.
- Reinforced carcass and wide tread.
- Specially designed compound.


- Ensures excellent water evacuation, even pressure distribution and heat dissipation.
- Provides excellent heat dissipation.
- Ensures excellent handling and safe performance.
- Delivers lower rolling resistance.

Size	Tread Pattern	Ply	LI/SI	S/R			<b>(C</b> ())	)))
215/75R17.5	TQ660	16PR	135/133	J	С	С	73dB	2
11R22.5	TQ660	16PR	146/143	М	С	С	73dB	2
12R22.5	TQ660	18PR	152/149	М	С	С	73dB	2
13R22.5	TQ660	20PR	156/152	L	С	С	73dB	2
255/70R22.5	TQ660	16PR	140/137	L	С	С	73dB	2
295/80R22.5	TQ660	16PR	152/148	М	С	С	73dB	2
315/70R22.5	TQ660	20PR	154/150	L	С	С	73dB	2
315/80R22.5	TQ660	20PR	156/152	Ĺ	C	С	73dB	2





For highway, urban and all position coach use.



### **Features**

- Four wide circumferential grooves.
- Siped rib and shoulder design.
- Reinforced carcass and wide tread.
- Specially designed compound.

- Ensures excellent water evacuation, even pressure distribution and heat dissipation.
- Provides excellent heat dissipation.
- ► Ensures excellent handling and safe performance.
- ▶ Delivers lower rolling resistance.

Size	Tread Pattern	Ply	LI/SI	S/R			<b>((30)</b> )	)))
225/75R17.5	FAR518	14PR	129/127	М	С	D	73dB	2
245/70R17.5	FAR518	16PR	136/134	М	С	D	73dB	2
245/70R17.5	FAR518	18PR	143/141 (146/146)	J (F)	С	D	73dB	2
245/70R19.5	FAR518	16PR	136/134	М	С	D	73dB	2
245/70R19.5	FAR518	18PR	141/140	J	С	D	73dB	2
265/70R19.5	FAR518	16PR	140/138	М	С	D	73dB	2
265/70R19.5	FAR518	18PR	143/141	J	С	D	73dB	2
285/70R19.5	FAR518	16PR	146/144 (144/142)	L (M)	С	D	73dB	2
285/70R19.5	FAR518	18PR	150/148	J	С	D	73dB	2





All purpose highway and urban use.



M+S

### **Features**

- Four circumferential grooves.
- Solid shoulder design.
- Specially designed compound.

- Provides excellent anti-side slipping performance and ensures excellent water evacuation.
- Provides outstanding resistance to abrasion.
- Reduces rolling noise greatly and delivers lower rolling resistance.

Size	Tread Pattern	Ply	LI/SI	S/R		<b>(</b>	<b>(C</b> (1))	)))
215/75R17.5	TQIII	16PR	135/133	М	С	D	73dB	2
235/75R17.5	TQIII	16PR	132/130	М	С	D	73dB	2
225/70R19.5	TQIII	14PR	128/126	L	С	D	73dB	2
245/70R19.5	TQ111	16PR	135/133	М	С	D	73dB	2
11R22.5	TQIII	16PR	146/143	L	С	D	73dB	2
255/70R22.5	TQIII	16PR	140/137	L	С	D	73dB	2
11R24.5	TQ111	14PR	146/143	М	C	D	73dB	2
11R24.5	TQ111	16PR	149/146	М	c	D	73dB	2





For highway, urban and all position coach use.




### **Features**

- Four wide circumferential grooves.
- Siped rib and shoulder design.
- Reinforced carcass and wide tread.
- Specially designed compound.

- Ensures excellent water evacuation, even pressure distribution and heat dissipation.
- Provides excellent heat dissipation.
- Ensures excellent handling and safe performance.
- Delivers lower rolling resistance.

Size	Tread Pattern	Ply	LI/SI	S/R		<b>(</b>	<b>(C</b> 0)	)))
11R22.5	FAR515	16PR	148/145		D	D	73dB	2
12R22.5	FAR515	18PR	152/149	L	D	D	73dB	2
275/70R22.5	FAR515	16PR	148/145	М	D	D	73dB	2
295/80R22.5	FAR515	18PR	152/149	М	D	D	73dB	2
315/80R22.5	FAR515	20PR	156/152	K	D	D	73dB	2







Heavy/aggressive usage, best suited for construction and rough terrains.



M+S

### **Features**

- Special tread compound.
- Block pattern design.
- Extra wide footprint with square shoulder.
- Reinforced carcass and bead design.

- Provides outstanding resistance to puncture and tearing.
- Provides excellent driving and braking force.
- Enhanced stability and resistance to abrasion.
- Ensures excellent handling and safe performance and provides outstanding load capacity.

Size	Tread Pattern	Ply	LI/SI	S/R			<b>(C</b> 0)	)))
12R22.5	TQ768	18PR	152/149	М	С	С	73dB	2
13R22.5	TQ768	20PR	156/152	G	С	С	73dB	2
295/80R22.5	TQ768	16PR	152/149	K	С	С	73dB	2
315/80R22.5	TQ768	20PR	156/152	L	С	С	73dB	2





For highway, urban and all position coach use.



### **Features**

- Block pattern design.
- Extra wide footprint with square shoulder.
- Deeper tread depth design.

- Provides excellent driving and braking force.
- Enhanced stability and resistance to abrasion.
- ▶ Improved mileage performance.

	Size	Tread Pattern	Ply	LI/SI	S/R			<b>(C</b> 0)	)))	
	11R22.5	TQ638	16PR	148/145	М	С	D	73dB	2	X
	12R22.5	TQ638	18PR	152/149	K	С	D	73dB	2	1
Ī	315/70R22.5	TQ638	20PR	154/150	Ĺ	С	D	73dB	2	
4	315/80R22.5	TQ638	20PR	156/152	L	C	D	73dB	2	





For highway, urban and all position coach use.



### **Features**

- Asymmetric lug design.
- Block pattern design.
- Four wide circumferential grooves.
- Reinforced carcass and bead design.

- Combines regular wear with excellent traction.
- Provides excellent driving and braking force.
- ► Ensures excellent water evacuation, even pressure distribution and heat dissipation.
- ► Ensures excellent handling and safe performance and provides outstanding load capacity.

Size	Tread Pattern	Ply	LI/SI	S/R			<b>(Cu)</b>	)) <b>)</b>
315/60R22 5	FDI 227	18PR	154/148	<del>                                      </del>	TBC	TBC	TBC	TBC





All purpose highway, urban and on/off road use.



M+S

### **Features**

- Asymmetric lug design.
- Block pattern design.
- Four wide circumferential grooves.
- Reinforced carcass and bead design.


- Combines regular wear with excellent traction.
- Provides excellent driving and braking force.
- Ensures excellent water evacuation, even pressure distribution and heat dissipation.
- ► Ensures excellent handling and safe performance and provides outstanding load capacity.

Size	Tread Pattern	Ply	LI/SI	S/R		<b>(</b>	<b>((t))</b>	)))
215/75R17.5	TQ628	16PR	135/133	J	С	D	73dB	2
235/75R17.5	TQ628	16PR	143/141	J	С	D	73dB	2
11R22.5	TQ628	16PR	146/143	K	С	D	73dB	2
12R22.5	TQ628	18PR	152/149	L	С	D	73dB	2
13R22.5	TQ628	20PR	156/152	K	С	D	73dB	2
295/80R22.5	TQ628	16PR	152/148	М	С	D	73dB	2
315/70R22.5	TQ628	20PR	154/150	Ĺ	C	D	73dB	2
315/80R22.5	TQ628	20PR	156/152	L	c	D	73dB	2





All purpose highway, urban and on/off road use.




M+S

### **Features**

- Asymmetric lug design.
- Block pattern design.
- Four wide circumferential grooves.
- Reinforced carcass and bead design.

- Combines regular wear with excellent traction.
- Provides excellent driving and braking force.
- Ensures excellent water evacuation, even pressure distribution and heat dissipation.
- Ensures excellent handling and safe performance and provides outstanding load capacity.

Size	Tread Pattern	Ply	LI/SI	S/R			<b>(C1)</b>	) <b>)</b> )
295/75R22.5	TQ312	14PR	144/141	М	С	С	73dB	2
285/75R24.5	TQ312	14PR	144/141	М	С	С	73dB	2
11R22.5	TQ312	16PR	146/143	L	С	С	73dB	2
11R24.5	TQ312	18PR	149/146	L	С	С	73dB	2







All trailer applications, designed for better mileage and even wear.



#### **Features**

- Special tread compound.
- Block pattern design.
- Extra wide footprint with square shoulder.
- Reinforced carcass and bead design.

- Provides outstanding resistance to puncture and tearing.
- Provides excellent driving and braking force.
- Enhanced stability and resistance to abrasion.
- ► Ensures excellent handling and safe performance and provides outstanding load capacity.

Size	Tread Pattern	Ply	LI/SI	S/R			<b>(C</b> ())	)) <u>)</u>	
385/65R22.5	FTM313	20PR	160 (158)	(K) L	С	С	73dB	2	





All trailer applications, designed for better mileage and even wear.



### **Features**

- Four zigzag grooves.
- Extra wide footprint with square shoulder.
- Special tread compound.

- Provides excellent anti-slide slipping performance and ensures excellent water evacuation.
- Enhanced stability and resistance to abrasion.

Size	Tread Pattern	Ply	LI/SI	S/R			<b>(C</b> (1))	)))
235/75R17.5	TQ022	16PR	143/141	Ĵ	С	С	73dB	2
385/65R22.5	TQ022	20PR	160	K	С	С	73dB	2





All trailer applications, designed for better mileage and even wear.



#### **Features**

- Special tread compound.
- Block pattern design.
- Extra wide footprint with square shoulder.
- Reinforced carcass and bead design.

- Provides outstanding resistance to puncture and tearing.
- Provides excellent driving and braking force.
- Enhanced stability and resistance to abrasion.
- ► Ensures excellent handling and safe performance and provides outstanding load capacity.

Size	Tread Pattern	Ply	LI/SI	S/R			<b>(C</b> 1))	)))
215/75R17.5	FAL535	16PR	135/133	J	С	С	73dB	2
225/70R19.5	FAL535	14PR	128/126	М	С	С	73dB	2
245/70R19.5	FAL535	14PR	133/131	М	С	С	73dB	2
255/70R22.5	FAL535	16PR	140/137	L	С	С	73dB	2
275/70R22.5	FAL535	18PR	152/148	J	С	С	73dB	2





All trailer applications, designed for better mileage and even wear.



### **Features**

- Special tread compound.
- Block pattern design.
- Extra wide footprint with square shoulder.
- Reinforced carcass and bead design.

- Provides outstanding resistance to puncture and tearing.
- Provides excellent driving and braking force.
- Enhanced stability and resistance to abrasion.
- Ensures excellent handling and safe performance and provides outstanding load capacity.

Size	Tread Pattern	Ply	LI/SI	S/R			<b>(Co)</b>	)))
385/55R22.5	FTL311	20PR	160 (158)	K (L)	С	С	73dB	2
385/65R22.5	FTL311	20PR	160 (158)	K (L)	С	С	73dB	2
425/65R22.5	FTL311	20PR	165	K	С	С	73dB	2
445/65R22.5	FTL311	20PR	169	K	c	С	73dB	2





# ALL POSITION (H) TQ011/TQ702

For highway, urban and on/off road use.



M+S

### **Features**

- Three zigzag grooves.
- Combination of rib and lug design.
- Shoulder design with lugs.

- Provides excellent anti-slide slipping performance and ensures excellent water evacuation.
- Delivers outstanding traction.
- Provides excellent heat dissipation.

Size	Tread Pattern	Ply	LI/SI	S/R			<b>(C</b> ())	)) <u>)</u>
11R22.5	TQ011/TQ702	16PR	146/143	K	D	D	73dB	2
12R22.5	TQ011/TQ702	18PR	152/149	Ľ	D	D	73dB	2
13R22.5	TQ011/TQ702	20PR	156/152	K	D	D	73dB	2
315/80R22.5	TQ011/TQ702	20PR	156/152	L	C	D	73dB	2





All trailer applications, designed for better mileage and even wear.




### **Features**

- Special tread compound.
- Block pattern design.
- Extra wide footprint with square shoulder.
- Reinforced carcass and bead design.

- Provides outstanding resistance to puncture and tearing.
- Provides excellent driving and braking force.
- Enhanced stability and resistance to abrasion.
- Ensures excellent handling and safe performance and provides outstanding load capacity.

Size	Tread Pattern	Ply	LI/SI	S/R			<b>(C</b> 1))	)))	
435/50R19.5	STL357	20PR	160	J	С	С	73dB	2	





### Car Range

PCR

TQ021 / TQ-HP701

UHP

TQ901

4X4

AT-TQ701 / HT-TQ701 / TQ-MT701

WINTER

TQ022 / TQ023 / TQ020 / TQWT701

### **ALL SEASON**

TQ025 / TQ7000AS

The car tyre range has been specifically designed to deliver excellent grip and performance on both wet and dry roads.

Amongst the features and benefits:

- Special tread compounds with four wide circumferential tread grooves
- Optimized variable pitch tread design
- Superior comfort and quiet ride
- Better ride stability and handling performance
- Improved groove and bead profile design
- Silica tread compound



#### Stability and Response

Jointless bead wire and high density nylon improve high speed stability and maximise steering response



#### **Driving Control**

Multi-inner radius improves driving control while assuring performance at high speed.



#### Water Evacuation

Four Wide circumferential grooves deliver efficient water evacuation and prevent aquaplaning



#### Size LI/SI S/R ))) 50 Series 195/50R15 82 V Е Е 71dB 2 205/50R16 87 Е Ε 71dB 2 225/50R16 V Ε Е 71dB 2 92 55 Series 185/55R15 82 70dB 2 195/55R15 85 V Ε Ε 71dB 2 205/55R16 91 Ε Ε 71dB 2 215/55R16 97 XL ٧ Е Ε 72dB 2 60 Series 175/60R13 77 70dB Н E E 2 165/60R14 75 Е Е 70dB 2 79 175/60R14 Н E E 70dB 2 185/60R14 82 Е 70dB 2 Н Ε 195/60R14 86 Е Ε 71dB 2 175/60R15 81 Н Е Ε 70dB 2 185/60R15 84 Н E Ε 70dB 2 195/60R15 88 ٧ 71dB 2 205/60R15 91 V Ε Ε 71dB 2 195/60R16 89 Н Ε Ε 71dB 2 205/60R16 92 V Е Ε 71dB 2 95 215/60R16 71dB 2 V Ε Ε 225/60R16 98 Е E 71dB 2 Н 225/60R16 102 XL Ε Ε 72dB 2

### Passenger Car Radial





### **Features**

- Special tread compound.
- Continuous solid centre ribs.
- Improved groove and bead profile design.
- Optimized variable pitch tread design.

- Excellent grip on wet and dry roads.
- Improves directional stability, provides a more comfortable experience and prevents irregular wear.
- ▶ Better ride stability and handling performance.
- Superior comfort and a quiet ride.

Size	LI/SI	S/R			<b>(C</b> 0)	)))
		65 Seri	ies			
155/65R13	73	Т	Е	Е	70dB	2
165/65R13	77	Т	E	E	70dB	2
155/65R14	75	Т	E	E	70dB	2
165/65R14	79	Т	E	E	70dB	2
175/65R14	82	Т	E	E	70dB	2
175/65R14	82	Н	Е	E	70dB	2
185/65R14	86	Н	E	E	70dB	2
175/65R15	84	Н	E	E	70dB	2
185/65R15	88	Н	E	E	70dB	2
195/65R15	95 XL	Н	E	E	72dB	2
195/65R15	91	V	E	Е	71dB	2
205/65R15	94	V	E	E	71dB	2
215/65R15	96	Н	E	E	71dB	2
205/65R16	95	н	E	E	71dB	2
215/65R16	98	Н	E	E	71dB	2
215/65R16	102 XL	Н	E	E	72dB	2



	LI/SI	S/R			<b>(CO)</b>	)))
		70 Seri	ies			
145/70R12	69	Т	Е	E	70dB	2
155/70R12	73	Т	Е	Е	70dB	2
165/70R12	77	Т	Е	E	70dB	2
155/70R13	75	Т	E	E	70dB	2
165/70R13	79	Т	E	E	70dB	2
175/70R13	82	T	Е	Е	70dB	2
185/70R13	86	Н	Е	Е	70dB	2
165/70R14	81	Т	Е	Е	70dB	2
175/70R14	84	Т	Е	Е	70dB	2
185/70R14	88	Н	Е	Е	70dB	2
195/70R14	91	Н	Е	Е	71dB	2
205/70R14	95	Н	Е	Е	71dB	2
205/70R15	96	Н	Е	Е	71dB	2
215/70R15	98	Н	Е	Е	71dB	2
		80 Seri	ies			
145/80R12	74	T	E	E	70dB	2
155/80R13	79	T	Е	Е	70dB	2
165/80R14	85	T	Е	E	70dB	2





### Ultra High Performance






### **Features**

- Special tread compound.
- Continuous solid centre ribs.
- Improved groove and bead profile design.
- Optimized variable pitch tread design.

- Excellent grip on wet and dry roads.
- Improves directional stability, provides a more comfortable experience and prevents irregular wear.
- ▶ Better ride stability and handling performance.
- Superior comfort and a quiet ride.

Size	LI/SI	S/R			<b>(C</b> ())	)))
		35 Ser	ies			
285/35R22	106 XL	V	Е	E	75dB	2
		40 Ser	ies			
275/40R20	106 XL	W	E	Е	73dB	2
295/40R21	111 XL	W	E	E	75dB	2
305/40R22	114 XL	W	Е	Е	75dB	2
		45 Ser	ies			
225/45R19	96 XL	W	E	E	72dB	2
235/45R19	99 XL	W	Е	Е	72dB	2
285/45R19	111 XL	W	E	E	75dB	2
245/45R20	99	Υ	Е	E	71dB	2
255/45R20	105 XL	V	Е	E	73dB	2
275/45R20	110 XL	V	Е	E	73dB	2
		50 Ser	ies			
255/50R19	107 XL	V	E	E	73dB	2
255/50R20	109 XL	V	E	E	73dB	2
265/50R20	111 XL	V	E	E	73dB	2

Size	LI/SI	S/R			<b>(C</b> (1))	)))
		55 Ser	ies			
215/55R18	99 XL	V	Е	Е	72dB	2
225/55R18	98	V	E	E	71dB	2
235/55R18	100	V	E	E	71dB	2
255/55R18	109 XL	W	E	E	73dB	2
225/55R19	99	V	E	E	71dB	2
235/55R19	105 XL	٧	Е	E	72dB	2
245/55R19	103	V	E	E	71dB	2
255/55R19	111 XL	V	E	E	73dB	2
275/55R20	117 XL	V	E	E	73dB	2
275/55R20	117 XL	V	E	E	73dB	2
		60 Ser	ies			$\rangle\rangle$
215/60R17	96	Н	Е	E	71dB	2
225/60R18	100	V	E	E	71dB	2
235/60R18	107 XL	V	E	E	72dB	2
245/60R18	105	V	E	E	71dB	2
255/60R18	112 XL	V	E	E	73dB	2





### Ultra High Performance

The UHP - TQ901 delivers excellent grip whatever the road conditions for your high performance vehicle.





### **Features**

- Four wide circumferential grooves, lateral grooves with fine sipes and continuous block patterns on shoulder.
- Variable pitch tread design.
- Jointless nylon band.
- Rim protector.

Size	LI/SI	S/R			<b>(</b> Co))	)))
		35 Ser	ies	IIIdab	<u> </u>	
245/35R19	93 XL	W	E	С	72dB	2
255/35R20	97 XL	W	E	С	73dB	2
		40 Ser	ies			
205/40R17	84 XL	W	E	С	72dB	2
215/40R17	87 XL	W	Е	С	72dB	2
225/40R18	92 XL	W	E	С	72dB	2
235/40R18	95 XL	W	E	С	72dB	2
245/40R18	97 XL	W	E	С	72dB	2
		45 Ser	ies			AL
195/45R16	84 XL	V	Е	С	72dB	2
205/45R16	87 XL	W	E	С	72dB	2
205/45R17	88 XL	W	E	С	72dB	2
215/45R17	91 XL	W	E	С	72dB	2
225/45R17	94 XL	W	E	C	72dB	2
235/45R17	97 XL	W	E	С	72dB	2
245/45R17	99 XL	W	\ E	С	72dB	2
225/45R18	95 XL	W	\\ E	С	72dB	2
235/45R18	98 XL	W	E	С	72dB	2
245/45R18	100 XL	W	E	С	72dB	2

- Provides efficient water evacuation, outstanding wet performance and enhanced stability at high speed cornering.
- Superior comfort and quiet ride.
- Improved tread stiffness and uniformity and delivers high speed stability.
- Provides better performance on a wet surface and reduces rolling resistance. Protects wheels from curb damage.

Size	LI/SI	S/R			<b>(C</b> 0))	)) <b>)</b>
		50 Ser	ies			HH
195/50R15	86 XL	V	E	С	72dB	2
195/50R16	88 XL	V	Е	С	72dB	2
225/50R16	92	V	E	С	71dB	2
205/50R17	93 XL	W	E	С	72dB	2
215/50R17	95 XL	W	E	С	72dB	2
225/50R17	98 XL	W	E	С	72dB	2
235/50R18	101 XL	W	E	С	72dB	2
		55 Ser	ies			
195/55R15	85	V	E	С	71dB	2
185/55R16	83	V	E	С	70dB	2
195/55R16	91 XL	V	Е	С	72dB	2
215/55R16	97 XL	V	E	С	72dB	2
215/55R16	97 XL	W	E	С	72dB	2
225/55R16	99 XL	V	E	С	72dB	2
215/55R17	98 XL	W	E	С	72dB	2
225/55R17	101 XL	W	E	С	72dB	2
235/55R17	103 XL	W	E	С	72dB	2



	Size	LI/SI	S/R			<b>(C</b> 1))	)))
Y	MANADAM		40 Ser	ies			
	225/40R18	92 XL	V	F	С	72dB	2
	245/40R18	97 XL	V	F	С	72dB	2
			45 Ser	ies			
	195/45R16	84 XL	V	F	С	72dB	2
X	205/45R16	87 XL	V	F	С	72dB	2
	205/45R17	88 XL	V	F	С	72dB	2
_	215/45R17	91 XL	V	F	С	72dB	2
	225/45R17	94 XL	V	F	С	72dB	2
	245/45R17	99 XL	V	F	С	72dB	2
	245/45R18	100 XL	V	F	С	72dB	2
_			50 Seri	ies		1 11 1 1 1 1 1 1	
	195/50R15	86 XL	V	F	С	72dB	2
7	185/50R16	81	Н	F	С	71dB	2
1	195/50R16	88 XL	V	F	С	72dB	2
	205/50R17	93 XL	V	F	С	72dB	2
V.	215/50R17	95 XL	V	F	С	72dB	2
	225/50R17	98 XL	V	F	С	72dB	2
É			55 Seri	ies			
1	185/55R14	80	Н	F	С	70dB	2
	185/55R15	86 XL	Н	F	С	71dB	2
Ę	195/55R15	85	Н	F	С	71dB	2
V	195/55R16	91 XL	V	F	С	72dB	2
4	205/55R16	94 XL	V	F	С	72dB	2
	215/55R16	97 XL	V	F	С	72dB	2
	205/55R17	95 XL	V	F	С	72dB	2
4	215/55R17	98 XL	V	F	С	72dB	2
Д	225/55R17	101 XL	V	F	С	72dB	2
	235/55R17	103 XL	V	F	С	72dB	2
<u>/</u>		MYXXXX	60 Ser	ies			
1	165/60R14	75	Н	F	С	70dB	2
<u>_</u>	185/60R14	82	Н	F	С	70dB	2
Ì	165/60R15	77	T	F	С	70dB	2
	185/60R15	88 XL	H	F	С	71dB	2
	195/60R15	88	Н	F	С	71dB	2
1	205/60R16	96 XL	V	F	С	72dB	2
	215/60R16	99 XL	Н	F	С	72dB	2

### All Season

The car tyre range has been specifically designed to deliver excellent grip and performance on both wet and dry roads.







### **Features**

- Special tread compound.
- Continuous solid centre ribs.
- Improved groove and bead profile design.
- Optimized variable pitch tread design.

- Excellent grip on wet and dry roads.
- Improves directional stability, provides a more comfortable experience and prevents irregular
- ▶ Better ride stability and handling performance.
- Superior comfort and a quiet ride.

Size	LI/SI	S/R			<b>(C</b> (1))	)))
		65 Ser	ies			
155/65R13	73	T	F	С	70dB	2
165/65R13	77	Т	F	С	70dB	2
155/65R14	75	Т	F	С	70dB	2
165/65R14	79	Т	F	С	70dB	2
175/65R14	82	Т	F	С	70dB	2
185/65R14	86	T	F	С	71dB	2
165/65R15	81	T	F	С	70dB	2
175/65R15	88 XL	T	F	С	71dB	2
185/65R15	88	Н	F	С	70dB	2
195/65R15	91	Н	F	С	71dB	2
205/65R15	94	Н	F	С	72dB	2
215/65R16	102 XL	Н	F	С	72dB	2
		70 Ser	ies			
155/70R13	75	MT]	F	С	70dB	2
165/70R13	79	WIT!	F	С	70dB	2
165/70R14	81	UT+	F	С	70dB	2
175/70R14	88 XL	TH	F	С	71dB	2
		80 Ser	ies			
155/80R13	79	N+1	F	С	70dB	2



### All Season

Our van tyre range has been specifically designed to deliver excellent grip and performance on both wet and dry roads.

TQ7000AS





### **Features**

- Reinforced structure composed of two steel belts and full nylon protector.
- Zig-zag vertical groove and open horizontal groove arrangement with sipes.
- Special abrasion resistant tread compound.
- Variable pitch pattern.

- ► Delivers extra puncture resistance and robust load bearing capacity.
- Provides excellent wet and dry grip.
- Provides enhanced mileage with reduced heat.
- Superior comfort and quiet ride.

Size	Ply	LI/SI	S/R			<b>((</b> (0))	)) <b>)</b>
		60 Series					11/1
195/60R16C	8PR	99/97	T	E	E	73dB	2
215/60R16C	8PR	108/106	T	Е	E	73dB	2
		65 Series	11773				
215/65R15C	8PR	104/102	T	E	E	73dB	2
195/65R16C	8PR	104/102	R	E	E	73dB	2
205/65R16C	8PR	107/105	R	E	E	73dB	2
215/65R16C	8PR	109/107	R	E	E	73dB	2
225/65R16C	8PR	112/110	R	E	E	73dB	2
235/65R16C	8PR	115/113	T	E	E	73dB	2
		70 Series		7-111111			
195/70R15C	8PR	104/102	R	E	E	73dB	2
215/70R15C	8PR	109/107	R	E	E	73dB	2
225/70R15C	8PR	112/110	R	E	E	73dB	2
		75 Series					
195/75R16C	8PR	107/105	R	E	E	73dB	2
215/75R16C	8PR	116/114	R	E	E	73dB	2
225/75R16C	8PR	121/120	R	E	E	73dB	2





# 4x4 Tyres SUV/LT Range

The TQ-AT701 - the ultimate design in toughness, grip and reliability for your four wheel drive, off-road vehicles.

4x4 TQ-AT701



### **Features**

- Block tread design with multiple sipes.
- Open shoulder grooves.
- Jointless nylon band.
- Strong structure design.

						- 0	
Size	LI/SI	S/R			(CO)	)))	
31×10.50R15LT	109	R	Е	С	72dB	2	
Light Truck 70 Series							
LT265/70R17	121/118	S	E	С	72dB	2	
LT285/70R17	121/118	R	E	С	72dB	2	
Light Truck 75 Series							
LT235/75R15	104/101	R	E	С	72dB	2	
LT225/75R16	115/112	S	E	С	72dB	2	
LT245/75R16	120/116	S	Е	С	72dB	2	
LT265/75R16	123/120	R	Е	С	72dB	2	
LT285/75R16	126/123	R	E	С	72dB	2	
LT245/75R17	121/118	S	E	С	72dB	2	
Light Truck 85 Series							
LT215/85R16	115/112	R	E	С	72dB	2	
LT235/85R16	120/116	R	E	С	72dB	2	

- Provides outstanding off-road traction.
- Prevents aquaplaning with enhanced wet grip performance.
- Provides reliability and durability.
- Improved tread stiffness and uniformity and delivers high speed stability.

Size	LI/SI	S/R			<b>(C</b> 0)	)))		
65 Series								
245/65R17	107	T	Е	E	71dB	2		
70 Series								
235/70R16	106	T	E	E	71dB	2		
245/70R16	107	T	E	E	71dB	2		
255/70R16	111	T	E	E	72dB	2		
265/70R16	112	T	E	Ε	72dB	2		
245/70R17	110	\\T\\\	E	E	71dB	2		
265/70R17	115	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	E	E	72dB	2		
P285/70R17	117	T	E	Е	74dB	2		
75 Series								
215/75R15	100	S	E	Е	71dB	2		
235/75R15	109	S	E	E	71dB	2		
245/75R16	111	S	E	E	71dB	2		
265/75R16	116	S	E	E	72dB	2		



## 4x4 Tyres SUV/LT Range

The TQ-HT701 - the ultimate design in toughness, grip and reliability for your four wheel drive, off-road vehicles.

4x4 TQ-HT701



### **Features**

- High density sipes with silica compound.
- Variable pitch pattern and optimised footprint design.
- Solid centre ribs.
- Jointless nylon band.

Size	LI/SI	S/R			<b>(C</b> (1))	)))				
31X10.5R15LT	109	R	Е	С	72dB	2				
ZA	Light <sup>1</sup>	Truck '	70 Seri	es						
LT265/70R17	121/118	S	Е	С	72dB	2				
Light Truck 75 Series										
LT235/75R15	104/101	R	Е	С	72dB	2				
LT225/75R16	115/112	S	Е	С	72dB	2				
LT245/75R16	120/116	S	Е	С	72dB	2				
LT265/75R16	123/120	R	Е	С	72dB	2				
LT245/75R17	121/118	S	E	С	72dB	2				
Light Truck 85 Series										
LT215/85R16	115/112	R	Е	С	72dB	2				
LT235/85R16	120/116	R	Е	С	72dB	2				

- Delivers a smooth ride, lower noise and improved traction on dry and wet roads.
- Superior comfort and quiet ride.
- Provides steering stability and delivers a comfortable ride.
- Improved tread stiffness and uniformity and delivers high speed stability.

Size	LI/SI	S/R			<b>((</b> (0))	)))				
	7/ 11111	60 Ser	ies							
235/60R16	100	Н	Е	E	71dB	2				
225/60R17	99	Н	E	E	71dB	2				
65 Series										
215/65R16	98	H	E	E	71dB	2				
225/65R17	102	H	E	E	71dB	2				
235/65R17	108 XL	Н	Е	E	72dB	2				
245/65R17	111 XL	Н	Е	E	72dB	2				
265/65R17	112	Н	Е	Е	72dB	2				
		70 Ser	ies							
215/70R16	100	Н	E	Е	71dB	2				
225/70R16	103	Н	E	E	71dB	2				
235/70R16	106	Н	E	E	71dB	2				
245/70R16	111 XL	Н	Е	E	72dB	2				
255/70R16	111	T	E	E	72dB	2				
265/70R16	112	Н	Е	Е	72dB	2				
245/70R17	110	T	Е	Е	71dB	2				
265/70R17	115	T	E	Е	72dB	2				
		75 Seri	ies		ЩШ					
235/75R15	109 XL	Н	E	E	72dB	2				



# 4x4 Tyres LT Range

The TQ-MT701 - the ultimate design in toughness, grip and reliability for your four wheel drive, off-road vehicles.

4x4 TQ-MT701




### **Features**

- Block tread design with multiple sipes.
- Open shoulder grooves.
- Jointless nylon band.
- Strong structure design.

- Provides outstanding off-road traction.
- Prevents aquaplaning with enhanced wet grip performance.
- Provides reliability and durability.
- Improved tread stiffness and uniformity and delivers high speed stability.

Size	Tread Pattern	Ply	LI/SI	S/R
31X10.50R15LT	TQ-MT701	6PR	109	Q
LT265/70R17	TQ-MT701	10PR	121/118	Q
LT235/75R15	TQ-MT701	6PR	104/101	Q
LT245/75R16	TQ-MT701	10PR	120/116	Q
LT265/75R16	TQ-MT701	10PR	123/120	Q





#### **Features**

- Outer longitudinal rib block design and inner lateral slots.
- Silica tread compound.
- Three longitudinal grooves.
- Non-through block sipes.

Size	LI/SI	S/R			<b>(C</b> 0)	)))
		40 Ser	ies			Z X
205/40R17	84 XL	Н	E	Е	72dB	2
215/40R17	87 XL	Н	E	Е	72dB	2
225/40R18	92 XL	Н	F	Е	72dB	2
235/40R18	95 XL	Н	E	E	72dB	2
245/40R18	97 XL	Н	F	Е	72dB	2
		45 Ser	ies			
195/45R16	84 XL	Н	F	Е	72dB	2
205/45R16	87 XL	Н	Е	E	72dB	2
205/45R17	88 XL	Н	F	E	72dB	2
215/45R17	91 XL	Н	F	Е	72dB	2
225/45R17	94 XL	Н	F	E	72dB	2
245/45R17	99 XL	Н	E	E	72dB	2
225/45R18	95 XL	Н	Е	E	72dB	2
235/45R18	98 XL	Н	\\ F	E	72dB	2
245/45R18	100 XL	Н	F	E	72dB	2
255/45R20	105 XL	Н	F	E	73dB	2

### Winter Tyres For Cars

The PCR - TQ022 has a proven track record for safety and reliability for your family car in conditions of the severest snow and ice.

### Winter PCR TO022



- Enhance braking, cornering grip and the removal of water and slush.
- Delivers superb traction and lower rolling resistance.
- Improves water evacuation and stability in deep snow conditions.
- Provides excellent grip, minimises the friction and reduces rolling resistance.


Size	LI/SI	S/R			<b>((</b> Co))	)))
HALTS	THAT A	50 Seri	ies	MO		
195/50R15	86 XL	Н	F	E	72dB	2
195/50R16	88 XL	Н	F	E	72dB	2
205/50R17	93 XL	Н	F	E	72dB	2
215/50R17	95 XL	Н	F	E	72dB	2
225/50R17	98 XL	Н	F	E	72dB	2
255/50R19	103	Н	F	E	72dB	2
255/50R20	109 XL	Н	F	E	73dB	2
		55 Seri	es			批組
185/55R15	86 XL	Н	F	E	71dB	2
195/55R15	85	Н	F	E	72dB	2
195/55R16	91	Н	F	E	72dB	2
205/55R16	91	Н	F	E	72dB	2
215/55R16	97 XL	Н	F	E	72dB	2
225/55R16	99 XL	Н	F	E	72dB	2
205/55R17	95 XL	Н	F	E	72dB	2
215/55R17	98 XL	Н	F	E	72dB	2
225/55R17	101 XL	Н	F	E	72dB	2
235/55R17	103 XL	Н	F	E	72dB	2
215/55R18	95	Н	F	E	72dB	2
225/55R18	98	Н	F	Е	72dB	2
235/55R18	104 XL	Н	E	E	72dB	2
245/55R19	103	Н	F	E	72dB	2
255/55R19	111 XL	Н	F	E	73dB	2



# Winter PCR TQ022



	Size	LI/SI	S/R			<b>((1)</b> )	)))
			60 Ser	ies	期分	WHITN	#1
	165/60R14	79 XL	Т	F	Е	71dB	2
	185/60R14	82	Т	F	Е	71dB	2
	195/60R14	86	Н	F	Е	72dB	2
Ŋ	175/60R15	81	Н	F	Е	71dB	2
	185/60R15	84	Т	F	E	71dB	2
H	195/60R15	88	Н	F	Ε	72dB	2
	205/60R16	92	Н	F	Ε	72dB	2
	215/60R16	99 XL	Н	F	E	72dB	2
	215/60R17	96	Н	F	Е	72dB	2
	225/60R17	99	Н	F	Е	72dB	2
	235/60R18	107 XL	_Н	Е	Е	72dB	2
			65 Seri	ies			
	155/65R13	73	Т	F	Е	71dB	2
	155/65R14	75	Т	F	Е	71dB	2
E,	175/65R14	82	Т	F	Ε	71dB	2
	185/65R14	86	Т	F	Е	71dB	2
	175/65R15	84	Т	F	Е	71dB	2
¥	185/65R15	88	Т	F	Е	71dB	2
X.	195/65R15	91	Т	F	Е	72dB	2
¥7	205/65R15	94	Н	F	Е	72dB	2
Ă-	215/65R16	98	Н	F	E	72dB	2
	225/65R17	102	Н	F	Е	72dB	2
	235/65R17	108 XL	Н	F	Е	72dB	2
1	ZA		70 Seri	ies			
h	145/70R12	69	Т	F	Е	71dB	2
7	155/70R13	75	Т	F	E	71dB	2
7	165/70R13	79	Т	F	Ε	71dB	2
7	175/70R13	82	Т	F	Е	71dB	2
#	185/70R13	86	Т	F	Е	71dB	2
¥	165/70R14	81	Т	F	E	71dB	2
7	175/70R14	88 XL	Т	F	E	71dB	2
	205/70R15	96	Т	F	E	72dB	2
H			80 Ser	ies			
	155/80R13	79	Т	F	E	71dB	2





#### **Features**

- Directional winter tread pattern.
- Optimised tread sipe.
- Solid centre rib.
- Optimum allocation multi-random stud lines.
- Winter traction compound.

Size	LI/SI	S/R			<b>(C</b> ())	)))
	1111	40 Ser	ies			
275/40R22	108 XL	T	Е	Е	72dB	2
	MA	45 Ser	ies			
225/45R17	94 XL	Н	E	Е	72dB	2
285/45R22	114 XL	Т	E	E	75dB	
		50 Ser	ies			
285/50R20	116 XL	Т	Е	Е	75dB	2
	YHA_	55 Seri	ies			
185/55R15	86 XL	Н	E	Е	71dB	2
205/55R16	91	Н	Е	E	72dB	2
215/55R17	98 XL	Н	Е	E	72dB	2
225/55R17	101 XL	Н	Е	E	72dB	2
		60 Ser	ies			
185/60R15	84	T	E	Е	71dB	2
195/60R15	88	Н	Е	E	72dB	2
205/60R16	92	Н	Е	E	72dB	2
215/60R16	99 XL	Н	E	E	72dB	2
225/60R16	98	Н	E	E	72dB	2
215/60R17	96	Н	\\ E	E	72dB	2
225/60R17	99	Н	E	E	72dB	2
235/60R17	102	Н	E	Е	72dB	2

### Winter Tyres For Cars

The PCR - TQ023 and W601 - safe and reliable for your family car in conditions of the severest snow and ice.

# Winter PCR TQ023 Studdable



- Enhanced road contact and performance for snow and wet road conditions.
- Enhanced acceleration and braking under winter conditions.
- Improved handling when changing lanes and cornering.
- Improves traction performance on snow and ice and minimised stud noise.
- Silica-rich compound gives improved ice, snow and wet grip while maintaining performance in cold temperatures.

Size	LI/SI	S/R			<b>(</b> CO)	)))
	YYX	65 Seri	ies		MA	
175/65R14	82	Т	E	E	71dB	2
185/65R14	86	T	E	Е	71dB	2
185/65R15	88	Т	Е	Е	71dB	2
195/65R15	91	Т	Е	E	72dB	2
205/65R15	94	Н	Е	E	72dB	2
205/65R16	95	Н	E	E	72dB	2
215/65R16	98	Н	E	E	72dB	2
225/65R16	100	Н	E	E	72dB	2
205/65R17	96	Н	E	E	72dB	2
225/65R17	102	Н	E	E	72dB	2
235/65R17	104	T	E	E	72dB	2
245/65R17	107	T	E	E	72dB	2
	+1111	70 Seri	ies	MATH		X
175/70R13	82	T	E	E	71dB	2
185/70R13	86	T	E	E	71dB	2
185/70R14	88	T	E	E	71dB	2
215/70R16	100	\\ T\\	E	Ε	72dB	2
235/70R16	106	T	E	E	72dB	2
265/70R16	112	T	E	Е	73dB	2
275/70R16	114	T	E	Е	73dB	2
245/70R17	110	T	E	E	72dB	2
265/70R17	115	T	E	Е	73dB	2
	$\mathbb{Z}$	75 Seri	es			
215/75R15	100	S	E	E	72dB	2



# Winter Tyres For Cars

# Winter PCR

### Benefits

- Provides better performance on wet surfaces and reduces rolling noise.
- ► Enhanced traction and handling in snow conditions.
- Improved grip performance from wet and frigid surfaces to snow and ice.
- Delivers robust load bearing capacity and rugged durability.

#### **Features**

- Silica tread compound.
- Large block tread design.
- Zig-zag grooves and high density sipes arrangement.
- Reinforced construction.

Size	Tread Pattern	LI/SI	S/R			<b>(C</b> 0)	)))
		45 Series			HTMILL		
225/45R17	TQ020	94 XL	Н	E	E	72dB	2
		50 Series					
195/50R15	TQ020	86 XL	Н	E	E	72dB	2
		55 Series					
185/55R15	TQ020	86 XL	Н	E	E	71dB	2
195/55R15	TQ020	85	Н	E	E	72dB	2
195/55R16	TQ020	91 XL	Н	E	E	72dB	2
205/55R16	TQ020	91	Н	E	E	72dB	2
215/55R16	TQ020	97 XL	Н	E	Е	72dB	2
		60 Series					
185/60R14	TQ020	82	T	E	Е	71dB	2
185/60R15	TQ020	84	T	E	E	71dB	2
195/60R15	TQ020	88	Н	E	E	72dB	2
205/60R16	TQ020	92	Н	E	E	72dB	2
215/60R16	TQ020	99 XL	Н	E	E	72dB	2
		65 Series					
175/65R14	TQ020	82	T	E	E	71dB	2
185/65R14	TQ020	86	T	E	E	71dB	2
185/65R15	TQ020	88	T	E	E	71dB	2
195/65R15	TQ020	91	T	E	Е	72dB	2
205/65R15	TQ020	94	Н	#I E	E	72dB	2
		70 Series					
165/70R13	TQ020	79	T	E	E	71dB	2



# Winter Tyres Light Truck

Winter PCR TQ-WT701 Studdable




### **Features**


- Silica tread compound.
- Large block tread design.
- Zig-zag grooves and high density sipes arrangement.
- Reinforced construction.

- Provides better performance on wet surfaces and reduces rolling noise.
- Enhanced traction and handling in snow conditions.
- Improved grip performance from wet and frigid surfaces to snow and ice.
- Delivers robust load bearing capacity and rugged durability.

Size	Tread Pattern	LI/SI	S/R		Œ.	<b>(C</b> 0)	)))
		65 Series					
LT275/65R18	TQ-WT701	123/120	S	E	E	73dB	2
		70 Series					
LT245/70R17	TQ-WT701	119/116	S	E	E	73dB	2
LT265/70R17	TQ-WT701	121/118	S	E	E	73dB	2
LT275/70R18	TQ-WT701	125/122	S	E	E	73dB	2
		75 Series					
LT235/75R15	TQ-WT701	104/101	R	E	E	73dB	2
LT225/75R16	TQ-WT701	115/112	S	E	E	73dB	2
LT245/75R16	TQ-WT701	120/116	S	E	E	73dB	2
LT265/75R16	TQ-WT701	123/120	R	E	E	73dB	2
LT245/75R17	TQ-WT701	121/118	S	E	E	73dB	2







### Light Commercial Range

VAN TQ05/TQ02

### WINTERVAN


WTQ5000 / WTQ6000

The van tyre range has been specifically designed to deliver excellent grip and performance on both wet and dry roads.

With its reinforced structure composed of two steel belts and a full nylon protector, you can be confident of its ability to cope with the rigours of van driving.

Some of the benefits include:

- Extra puncture resistance
- Excellent wet and dry grip
- Superior comfort and quiet ride
- Better ride stability and handling performance





### Light Commercial

The TQ05 and TQ02 tyres deliver excellent grip whatever the road conditions for your light commercial vehicle.





#### **Features**

- Reinforced structure composed of two steel belts and full nylon protector.
- Zig-zag vertical groove and open horizontal groove arrangement with sipes.
- Special abrasion resistant tread compound.
- Variable pitch pattern.

- Delivers extra puncture resistance and robust load bearing capacity.
- Provides excellent wet and dry grip.
- Provides enhanced mileage with reduced heat.
- Superior comfort and quiet ride.

Size	Ply	LI/SI	S/R			<b>(</b> }0)	)))
155R13C	8PR	90/88	Q	E	С	72dB	2
165R13C	8PR	94/92	R	E	С	72dB	2
175R13C	8PR	97/95	R	E	С	72dB	2
175R14C	8PR	99/98	R	E	С	72dB	2
		65 Ser	ies				
175/65R14C	8PR	90/88	T	Е	С	72dB	2
205/65R15C	8PR	102/100	T	E	С	72dB	2
205/65R16C	8PR	107/105	TANK	Е	С	72dB	2
235/65R16C	8PR	115/113	T	E	С	72dB	2
		70 Ser	ies				
165/70R13LT	8PR	88/86	S	E	С	72dB	2
165/70R14C	8PR	89/87	R	E	С	72dB	2
175/70R14LT	8PR	95/93	S	E	С	72dB	2
195/70R15C	8PR	104/102	R	E	С	72dB	2
205/70R15C	8PR	106/104	R	E	С	72dB	2
215/70R15C	8PR	109/107	R	E	С	72dB	2
225/70R15C	8PR	112/110	R	E	С	72dB	2
		75 Ser	ies				
185/75R16C	8PR	104/102	R	E	С	72dB	2
195/75R16C	8PR	107/105	R	E	С	72dB	2
215/75R16C	8PR	116/114	R	E	С	72dB	2



# Light Commercial

The TQ05 and TQ02 tyres deliver excellent grip whatever the road conditions for your light commercial vehicle.

Van TQ02




### **Features**

- Reinforced structure composed of two steel belts and full nylon protector.
- Zig-zag vertical groove and open horizontal groove arrangement with sipes.
- Special abrasion resistant tread compound.
- Variable pitch pattern.

- Delivers extra puncture resistance and robust load bearing capacity.
- Provides excellent wet and dry grip.
- Provides enhanced mileage with reduced heat.
- Superior comfort and quiet ride.

Size	Tread Pattern	Ply	LI/SI	S/R			<b>(C</b> 0))	)))
155R12C	TQ02	8PR	88/86	Q	E	В	72dB	2
185R14C	TQ02	8PR	102/100	R	E	В	72dB	2
195R14C	TQ02	8PR	106/104	R	E	В	72dB	2
195R15C	TQ02	8PR	106/104	R	E	В	72dB	2





## Light Commercial Winter Tyres

The WTQ5000 delivers excellent grip in adverse road conditions for your light commercial vehicle.

Winter Van WTQ5000



### **Features**

- Silica tread compound.
- Large block tread design.
- Zig-zag grooves and high density sipes arrangement.
- Reinforced construction.

- Provides better performance on wet surfaces and reduces rolling noise.
- Enhanced traction and handling in snow conditions.
- Improved grip performance from wet and frigid surfaces to snow and ice.
- Delivers robust load bearing capacity and rugged durability.

Size	Tread Pattern	Ply	LI/SI	S/R			<b>(CO)</b>	)))
			60 Series				4	
195/60R16C	WTQ5000	8PR	99/97	T	E	E	73dB	2
215/60R16C	WTQ5000	8PR	108/106	R	E	E	73dB	2
			65 Series					
195/65R16C	WTQ5000	8PR	104/102	R	E	E	73dB	2
205/65R16C	WTQ5000	8PR	107/105	R	E	E	73dB	2
215/65R16C	WTQ5000	8PR	109/107	R	E	E	73dB	2
235/65R16C	WTQ5000	8PR	115/113	R	E	E	73dB	2
			70 Series					
195/70R15C	WTQ5000	8PR	104/102	R	E	E	73dB	2
215/70R15C	WTQ5000	8PR	109/107	R	E	E	73dB	2
225/70R15C	WTQ5000	8PR	112/110	R	E	E	73dB	2
			75 Series					
195/75R16C	WTQ5000	8PR	107/105	R	E	E	73dB	2
215/75R16C	WTQ5000	8PR	116/114	R	E	E	73dB	2



## Light Commercial Winter Tyres

Winter Van WTQ6000




### **Features**

- High void directional tread pattern.
- Multiple sipe.
- Three sawtooth main grooves.
- Winter traction compound.

- Helps to maintain contact with the road in winter conditions providing confidence in winter driving.
- Improved grip power on snowy and icy roads.
- Delivers exceptional traction and control for winter driving conditions.
- Silica rich compound gives improved ice, snow and wet grip while maintaining performance in cold temperature.

Size	Tread Pattern	Ply	LI/SI	S/R			<b>(</b> (t))	)))
155R12C	WTQ6000	8PR	88/86	Q	E	E	73dB	2
165R13C	WTQ6000	8PR	94/92	R	E	E	73dB	2
175R14C	WTQ6000	8PR	99/98	R	E	E	73dB	2
185R14C	WTQ6000	8PR	102/100	R	E	E	73dB	2
185/75R16C	WTQ6000	8PR	104/102	R	E	E	73dB	2



### TBR Technical Information

### Tyre Labelling Regulations

### What does the label mean in practical terms?



#### **FUEL EFFICIENCY**

Tyre energy efficiency (fuel consumption and CO2 emissions) is related to its rolling resistance


Low rolling resistance plays a crucial part in how much a tyre contributes to fuel savings in the transport sector.

#### How Fuel Consumption & CO2 Emissions Are Measured

To comply with the European regulation, measurements will be carried out on tyres using calibrated rolling machines.

The ratings awarded will correspond to the measured values given in kilograms per tonne (kg/t).

Ratings will range from "A" (up to 4 kg/t) to "F" (over 8 kg/t), i.e. twice the initial coefficient. The "G" rating will not be





### BRAKING ON WET SURFACES (Truck Tyres)

Tyre performance when braking on wet surfaces is one of the main safety benefits provided by tyres.

Braking efficiency on wet surfaces is tested by measuring the deceleration performances – between 60 and 20km/h when making an emergency stop.

#### How Braking On Wet Surfaces Is Measured

The data is collected on test tracks sprayed beforehand to create a layer of water from 0.5 to 2 millimetres in depth. The ambient temperature, and that of the ground, are permitted to vary between 5 and 35°C. Track characteristics (type of coating, roughness, coefficient of friction on the asphalt, etc.) can also vary within the limits prescribed by the Legislator. The test vehicles are specifically designed for the purpose.

Ratings will range from "A" to "F". There will be no "G" rating.



#### **EXTERNAL ROLLING NOISE**

External noise is taken into account since it represents noise pollution. This influences the environmental impact of transport, especially for the transport sector operating in urban areas.

#### How External Noise Is Measured

The European regulation takes into account the number of decibels produced as a tyre rolls and compares it with the future target which will come into force between 2012 and 2016 (regulation EC/661/2009).



Three black lines indicate the poorest performance. The noise emitted by the tyre is over the value set out in the future standard but below the maximum currently authorised.



**Two black lines** mean that the noise emitted by the tyre is in line with the limits which will be applied in the future.



**One black line** means that the level of tyre noise is already 3 decibels below the future legal limit.

Trading Internationally in 40 Countries Extensive sourcing and marketing experience Close customer and supplier relationships

Brand building in growth markets

Technical support and advice

Continuous development of new sizes and patterns

For more information on the



Tel: +44 (0) 1952 684168

Fax: +44 (0) 1952 684957

All Enquiries: info@torquetyres.com www.torquetyres.com

TIA GB Ltd, Units C & D, Halesfield 14, Telford, Shropshire, TF7 4QR

